

## PRODUCTION SUMMARY

Scheme: CRS Monthly  
Page No: 1 of 1  
Herd No: 10346

DEMO HERD  
SCOTSBRIDGE HOUSE  
SCOTS HILL  
RICKMANSWORTH  
HERTFORDSHIRE  
WD3 3BB

The Cattle Information Service Ltd.  
Speir House, Stafford Park 1, Telford, Shropshire, TF3 3BD  
Tel: 01923 695319 Fax: 01923 695339



Previous Test Date: 07/02/2023  
Latest Test Date: 09/03/2023  
Test Interval: 30  
Date run: 22/03/2023

Period 01 Mar 2021 to 01 Mar 2023

All animals in the herd

<b>Rolling 12 Month Average</b>	<b>No of Cows</b>	<b>Milk Yield (kg)</b>	<b>BFat %</b>	<b>Prot%</b>	<b>Calving Interval</b>
<b>Current 12 Months</b>	180	11693	4.14	3.40	383
<b>Previous 12 Months</b>	168	11608	4.19	3.39	384

Animals with qualifying lactations in the period

<b>Rolling 12 Month Average</b>	<b>No of Cows</b>	<b>Milk Yield (kg)</b>	<b>BFat %</b>	<b>Prot%</b>	<b>Calving Interval</b>
<b>Current 12 Months</b>	124	11388	4.06	3.35	382
<b>Previous 12 Months</b>	92	11066	4.17	3.35	384

Projected 305 Day Yields

(for animals in milk between 80 and 305 days)

	<b>Average Yield (kg)</b>
Heifers	8923
2nd Calvers	11408
3rd Calvers	11784
Later Lactations	11137
Whole Herd	10403

### Test Averages

<b>Test Date</b>	<b>Cows in Milk</b>	<b>Cows Dry</b>	<b>Cows not Recorded</b>	<b>Ave Daily Yield</b>	<b>Ave BFat%</b>	<b>Ave Prot%</b>	<b>Ave SCC</b> <small>x10<sup>3</sup>/ml</small>	<b>Ave Days in Milk</b>
09/03/2023	167	19	0	36.58	4.12	3.55	115	167
07/02/2023	170	19	2	35.28	4.07	3.44	161	167
10/01/2023	158	26	4	35.70	4.72	3.47	282	163
22/11/2022	166	17	0	34.34	4.56	3.49	129	166
18/10/2022	159	19	1	33.84	4.53	3.50	126	170
06/09/2022	156	24	0	36.07	3.83	3.35	191	162
02/08/2022	153	25	0	36.19	3.61	3.36	206	176
28/06/2022	155	21	0	36.92	3.85	3.34	165	181
24/05/2022	155	18	4	37.83	4.07	3.31	109	170
26/04/2022	165	19	0	37.65	4.19	3.33	94	167
30/03/2022	163	21	0	37.66	4.05	3.32	154	161
02/03/2022	156	19	0	37.33	4.09	3.42	171	161
28/01/2022	153	20	0	36.10	4.33	3.41	167	156
14/12/2021	142	23	1	35.30	4.42	3.45	190	176
25/11/2021	146	21	0	34.86	4.64	3.60	127	171